



KHORRAM PLASTIC TEHRAN

PVC Granule Manufacturer

est.1979



KHORRAM PLASTIC TEHRAN

PVC Granule Manufacturer

Why Choose Us?

KHORRAM PLASTIC CO is one of the leading producers of PVC granule products in Iran. Throughout its 50-year activity in this field, unique product quality has been made possible by employing expert co-operation and consultation, utilizing world-class technology, establishing research and development units, quality control laboratory. The company's five-decade-long communication with domestic and global polymer research centers have established us among the country's major industries, namely: medical equipment, automotive, wire and cable, irrigation and building hose- with lower wastage, and other

**Demand
Highest Quality
& Diversity**



QC , R&D

The primary goal of establishing a research and development unit is to improve product quality and contrive novel practical products. This unit, based on the expertise and abilities of professional specialists, is continually active in investigating and evaluating new products.



Factory

Key features of company:

- Modern mixers manufactured in industrialized nations for mixing materials.
- Conical and super conical extruders with two bends
- Vibrating cooling system for consistent final goods. PLC systems control all of the aforementioned machinery.



Address:
5th floor, No. 51, Golestan 6,
Pasdaran St, Tehran, Iran

Website:
www.khorramco.com
info@khorramco.com

Phone:
(+98) 21 79453000



JACKETING



Glossy surface



High thermal stability



Suitable Flexibility

NO	Compound Type	Product Grade	Code	Color	Density (gr/cm ³)	Hardness (Shore" A")	Heat Stability at 200°C	Tensile Strength (N/mm ²)	Elongation at Break (%)
1	Grade B	116CCZT1 001	500979	White	1/52±0/01	83±2	60	min 10/5	180±10
2		116CCZP1 013	500975	Black					
3	Grade A	116CCZT 005	500689	White	1/47±0/01	84±2	60	min 10/5	175±10
4		116CCZP1 007	500708	Black					
5		116CCZP1 006	500680	Black	1/44±0/01	83±2	60	11/5±1	175±10
6		116CCZT 009	500839	White					
7		116CCZP 001	500176	Black					
8		116CCZ 004	500937	Natural	1/44±0/01	83±2	60	11/5±1	min 150%
9	Grade A+	116CCZP1 001	500179	Black	1/38±0/02	79±2	60	12±1	min 230%
10		116CCZT1	500456	White					
11	Softer Jacketing CUSTOMIZED	114CCZ 002	500976	Natural	1/44±0/01	75±2	min 40*	11±0/5	min 200%
12		114CCZT 001	500154	White					
13		114CCZP 011	500976	Black					
14		114CCZP 006	500394	Grey					
15		114CCZP 001	500153	Black					
16	114CLT 001	500152	White	Min 45*					
17	Automobile Jacketing WIRE SHEATHING	131CCZP 003	500247	Black	1/63±0/01	66±2	Min 45*	3/5±1	min 190%
18		131CCZP1 001	500255	Black	1/58±0/01	82±2*	Min 45*	7/5±1	min 185%
19		132CCZP 001	500860	opaque-Black	1/65±0/01*	78±2*	min 45*	4/5±1	min 165%
20		132CCZT 001	500968	White	1/65±0/01*	78±2*	Min 45*	4/5±1	min 165%
21		132CCZP 002	500949	Black	1/48±0/01*	65±2*	Min 45*	4±1*	min 185%



Address:
5th floor, No. 51, Golestan 6,
Pasdaran St, Tehran, Iran

Website:
www.khorramco.com
info@khorramco.com

Phone:
(+98) 21 79453000



INSULATION



Glossy surface



High thermal stability



Suitable Flexibility

NO	Compound Type	Product Grade	Code	Color	Density (gr/cm ³)	Hardness (Shore" A")	Heat Stability at 200°C	Tensile Strength (N/mm ²)	Elongation at Break (%)
1	Grade B	125CCZP 009	500939	Black	1/51±0/01	86±2	60min	12.5	150%
2		125CCZ 016	500938	Natural					
3		125CCZP1 011	500940	Blue					
4		125CCZP2 012	500941	Red					
5		125CCZP3 010	500942	Yellow					
6		125CCZP4 008	500943	Green					
7		125CCZP5 008	500944	Brown					
8		125CCZP6 002	500985	Grey					



Address:
5th floor, No. 51, Golestan 6,
Pasdaran St, Tehran, Iran

Website:
www.khorramco.com
info@khorramco.com

Phone:
(+98) 21 79453000



INSULATION



Glossy surface



High thermal stability



Suitable Flexibility

NO	Compound Type	Product Grade	Code	Color	Density (gr/cm ³)	Hardness (Shore" A")	Heat Stability at 200°C	Tensile Strength (N/mm ²)	Elongation at Break (%)
1	Grade A	125CCZ 014	500838	Natural	1/45±0/01*	84±1*	60min	13/5±1	min 150%
2		125CCZ 008	500676	Natural	1/46±0/01	85±2	60min	13/5±1	min 150%
3		125CCZP 005	500643	Black					
4		125CCZP1 007	500704	Blue					
5		125CCZP2 007	500701	Red					
6		125CCZP3 007	500698	Yellow					
7		125CCZP4 005	500637	Green					
8		125CCZP5 005	500716	Brown					
		125CCZP6 001	500458	Grey					



Address:
5th floor, No. 51, Golestan 6,
Pasdaran St, Tehran, Iran

Website:
www.khorramco.com
info@khorramco.com

Phone:
(+98) 21 79453000



INSULATION



Glossy surface



High thermal stability



Suitable Flexibility

NO	Compound Type	Product Grade	Code	Color	Density (gr/cm ³)	Hardness (Shore" A")	Heat Stability at 200°C	Tensile Strength (N/mm ²)	Elongation at Break (%)
1	Grade A+	125CCZ 001	500203	Natural	1/40±0/01	84±2	60min	14/5±1	min 160%
2		125CCZP 001	500204	Black					
3		125CCZP2 001	500207	Red					
4		125CCZP3 001	500205	Yellow					
5		125CCZP4 001	500208	Green					
6		125CCZP5 001	500209	Brown					
7	Grade A++	130CCZP 002	500271	Black	1/29±0/01	83±2	60min	18/5±1	min 220%
8		130CCZ 001	500282	Natural					
9	White twin wire	123CCZT 009	500788	White	1/46±0/01*	84±2	60min	11±1	min 180%
10		123CCZT 011	500945	White	1/48±0/01*	87±2	60min	13.5	min 150%
11	Transparent	129BT5 014	500551	transparent	1/21±0/01	82±2	60min	18/5±1	min 240%



Address:
5th floor, No. 51, Golestan 6,
Pasdaran St, Tehran, Iran

Website:
www.khorramco.com
info@khorramco.com

Phone:
(+98) 21 79453000



FILLER




Cost-effective



High thermal stability



Desired Flexibility



NO	Compound Type	Product Grade	Code	Color	Density (gr/cm ³)	Hardness (Shore" A")	Heat Stability at 200°C	Tensile Strength (N/mm ²)	Elongation at Break (%)
1	Filler	131CCZ1	500268	Natural	1/67±0/01	82±2	60	7±1	min130
2		107CCZ1	500089	Natural	1/85±0/01	86±2	60	3±1	min 130
3		107CCZP1	500091	Black	1/85±0/01	86±2	60	3±1	min 130



Address:
5th floor, No. 51, Golestan 6,
Pasdaran St, Tehran, Iran

Website:
www.khorramco.com
info@khorramco.com

Phone:
(+98) 21 79453000





KHORRAM PLASTIC TEHRAN

PVC Granule Manufacturer