

TRANSPARENT



Ideal Glossiness



High thermal stability



Desired Flexibility

شفاف



براقیت ایده آل



پایداری حرارتی بالا



انعطاف مناسب

No	Compound Type	Product Grade	code	Color	Density (gr/cm ³)	Hardness (Shore" A")	Heat Stability at 200°C (minute)	Tensile Strength (N/mm ²)	Elongation at Break (%)
1	Hose and Hose Covering	KPH 5514 (102 BT5)	500004	Transparent	1.14±0.01	55±3	85±5	7±1	min 350
2		KPH 6315 (104 BT5) (104AT5) (104BT7)	500009 500006 500069	Transparent	1.15±0.01	63±2	85±5 90±5	8±1	min 330
3		KPH 6616 (106 BT5 004) (106 BT5 001) (106BT5UV)	500459 500027 500029	Transparent UV	1.16±0.01	66 ±2	80±5	9±1	min 300
4	Sanitation Hoses	KPH 7018 (108 BT5) (108BT7)	500715 500097 500812	blue Transparent	1.18±0.01	70±2	75±5	11±1	min 290
5		KPH 7219 (110BT5) (110BT6) (110BT7)	500593 500141 500791	Transparent	1.19±0.01	72±2	75±5	12±1	min 270
6		KPH 7420 (115 BT5) (115 BT7)	500161 500905	Transparent	1.19±0.01	74±2	75±5	14±1	min 240
7	Garden Hoses	KPH 8221 (129BT5 015) (129BT5 001)	500553 500226	Transparent	1.21±0.01	82 ±2	70±2	18±1	min 210



SEMI TRANSPARENT

نیمه شفاف



Various Colors



High thermal stability



Desired Flexibility



رنگ های متنوع



پایداری حرارتی بالا



انعطاف مناسب

No	Compound Type	Product Grade	code	Color	Density (gr/cm ³)	Hardness (Shore" A")	Heat Stability at 200°C (minute)	Tensile Strength (N/mm ²)	Elongation at Break (%)
1	Hose and Hose Covering	KPH 5514 (102 BT5)	500004	Transparent	1.14±0.01	55±3	85±5	7±1	min 350
2		KPH 6315 (104 BT5) (104AT5) (104BT7)	500009 500006 500069	Transparent	1.15±0.01	63±2	85±5 90±5	8±1	min 330
3		KPH 6616 (106 BT5 004) (106 BT5 001) (106BT5UV)	500459 500027 500029	Transparent UV	1.16±0.01	66 ±2	80±5	9±1	min 300
4	Sanitation Hoses	KPH 7018 (108 BT5) (108BT7)	500715 500097 500812	blue Transparent	1.18±0.01	70±2	75±5	11±1	min 290
5		KPH 7219 (110BT5) (110BT6) (110BT7)	500593 500141 500791	Transparent	1.19±0.01	72±2	75±5	12±1	min 270
6		KPH 7420 (115 BT5) (115 BT7)	500161 500905	Transparent	1.19±0.01	74±2	75±5	14±1	min 240
7	Garden Hoses	KPH 8221 (129BT5 015) (129BT5 001)	500553 500226	Transparent	1.21±0.01	82 ±2	70±2	18±1	min 210



Address:
5th floor, no. 51, Golestan 6,
Pasdaran st, Tehran, Iran

Website:
www.khorramco.com
info@khorramco.com

Phone:
(+98) 21 79453000



CARBONATED



Cost-effective



Various colors



High thermal stability



Desired Flexibility

کربناتی

مقرون به صرفه

رنگ های متنوع

پایداری حرارتی بالا

انعطاف مناسب

NO	Compound Type	Product Grade	Code	Color	Density (gr/cm ³)	Hardness (Shore" A")	Heat Stability at 200°C (minute)	Tensile Strength (N/mm ²)	Elongation at Break (%)
1	Bathroom Hoses	KPH 5939 (104CLT7 001) (104CLP7 001)	500010 500013	White Black	1.39±0.01	59±2	60±5	4±1	min 210
2	Agricultural Irrigation Hose Automotive hose	KPH 6757 (106CCZP2) 001 002 003 004	500052 500685 500686 500749	Black Blue Red Yellow	1.57±0.01	67±2	45±5	4±1	min 170
3	Flexible Hoses	KPH 6052 (106CLP1 002)	500567	Black	1.56±0.01	68±2	45±5	6	min 170
4	Flexible Hoses	KPH 7332 108CCZP3 001 002 003 004 006	500128 500382 500383 500384 500386	Black Blue Green Red Yellow	1.32±0.01	73±2	45±5	11.5±1	min 150
5	Flexible Hoses	KPH 7220 (108CBLT2 001)	500101	White	1.20±0.01	72 ±2	40±5	10±1	min 340
6	Flexible Hoses	KPH 8025 (110CBCZ 002)	500625	Based on demand	1.25±0.01	80 ±2	85±5	11.5±1	min 220
7	Industrial and Domestic Irrigation Hose	KPH 8367 (131CCZP1 006)	500280	Black	1.67±0.01	83±2	70±5	7±1	min 140
8	Flexible Hose of Air Conditioning Systems-Cooler Hose	KPH 9044 (140 CCZT)	500773	White	1.44±0.01	90±2	70±5	15	min 120



Address:

5th floor, No. 51, Golestan 6,
Pasdaran St, Tehran, Iran

Website:

www.khorramco.com
info@khorramco.com

Phone:

(+98) 21 79453000

